

Cook County COVID-19 Vaccination Program

Rachel Rubin, MD, MPH
Senior Medical Officer and Co-Lead
Cook County Department of Public Health

Kiran Joshi, MD, MPH Senior Medical Officer and Co-Lead Cook County Department of Public Health



Current Situation in Suburban Cook County







Pfizer-BioNTech COVID-19 Vaccine

- First ever mRNA vaccine, allowed for rapid development, two doses 21 days
 - Requires ultra-cold (-80C to -60C) storage, must be used within 6 hours after thawing
- 44,000 participants randomized to placebo or vaccine
 - Included 9.3% African American, 4.3% Asian, 28% Latinx, all adults 16 years or older
- Side effects included: injection site pain, fever, fatigue, headache, muscle aches
- Efficacy 95% overall after two doses
 - Similar across age, gender, race, and high risk conditions
 - Full protection two weeks after second dose







Moderna-NIH COVID-19 Vaccine

- Second mRNA vaccine, two doses 28 days apart, no ultra-cold storage required
 - Stable for months in standard freezers, 30 days in refrigerator
- 30,420 trial participants randomized to placebo or vaccine
 - Included 10.2% African American, 4.6% Asian, 20.5% Latinx, all adults 18 years or older
- Side effects included: injection site pain, fatigue, headache, muscle pain, join pain
- Two doses confer 94% efficacy overall against symptomatic COVID-19
 - Some evidence of protection against asymptomatic COVID-19
 - High (≥ 86%) across age, gender, race, and high risk conditions
 - Full protection two weeks after second dose



Safety

- Contraindications (don't get vaccinated)
 - Anyone with a severe or immediate allergic reaction to an mRNA vaccine or components
 - Anyone with an immediate allergic reaction to polysorbate
- Precautions (may get vaccinated, discuss with your healthcare provider)
 - Anyone with a severe allergic reaction to any vaccine or injectable therapy (intramuscular, intravenous, or subcutaneous)
- Appropriate medical treatment used to manage immediate allergic reactions must be immediately available
- Vaccine providers should observe patients after vaccination to monitor for the occurrence of immediate adverse reactions



CDC – Advisory Committee on Immunization Practices (ACIP) Phased Approach for Vaccine Allocation (12/20 update)

- Phase 1a: Healthcare personnel and long term care facility residents
 - Hospital-based health care workers, highest risk of exposure
 - Long-term care facility (LTCF) residents and personnel
 - Community-based healthcare workers, including EMS personnel





CDC – Advisory Committee on Immunization Practices (ACIP) Phased Approach for Vaccine Allocation (12/20 update)

- Phase 1b Frontline essential workers and individuals ≥ 65 years*
- Frontline essential workers defined as:
 - workers who are in sectors essential to the functioning of society and are at substantially higher risk of exposure to SARS-CoV-2
- Includes:
 - First Responders (Firefighters, Police)
 - Education (teachers, support staff, daycare)
 - Food & Agriculture
 - Manufacturing
 - Corrections workers
 - U.S. Postal service workers
 - Public transit workers
 - Grocery store workers





CDC – Advisory Committee on Immunization Practices (ACIP) Phased Approach for Vaccine Allocation (12/20 update)

Phase 1b


Phase 1c

- Persons aged 65-74 years
- Persons aged 16-64 years with high-risk conditions
- Essential workers not recommended in Phase 1b

Phase 2

 All people aged 16 years and older not in Phase 1, who are recommended for vaccination


Phase 1a





Vaccine Strategy

- Partnerships are key to achieving the goal of 70% vaccine uptake required for herd immunity
- Overarching strategy is for healthcare providers in the community to immunize
- CCDPH will take the lead in coordination, immunizing critical populations, and identifying and bridging gaps in coverage
 - CCDPH will continue to monitor testing, contact tracing, vaccination data, and guidance to refine and update allocation strategies





Partnerships

- Cook County Emergency Operations Center
 - Vaccine receipt, storage, distribution
 - Community vaccination site selection
 - Ongoing logistical and operational support
- CCH / CCDPH
 - Cook County Health centers starting 1/2021 for healthcare workers and EMS
 - Advocate Christ EMS Facility partnership planning for EMS starting 1/4
 - Planning for community based vaccinations
 - Three sites throughout suburban Cook County
 - Tents at Cook County Health clinic sites
- Hospitals
 - Vaccination ongoing for healthcare workers and EMS (Loyola, Northwest Community, Lutheran General)
 - In discussions for vaccination of community based healthcare workers





Partnerships

- Community Healthcare Providers
 - Federally qualified health centers, private clinics –
 Starting 1/4 for healthcare workers
- Federal Pharmacy Program
 - Partnership with CVS and Walgreens
 - Starting week of 1/4 for Long Term Care Facilities
- Pharmacies
 - Jewel/Osco started 12/28 for healthcare workers
 - Sam's Club/Walmart starting early 1/2021





Information

- Individuals: https://redcap.dph.illinois.gov/surveys/?s=PP8PJNFHMW
 - Updates on when and how individuals will be vaccinated
 - Focused on Phase 1a healthcare workers
- Organizations: https://redcap.dph.illinois.gov/surveys/?s=YK3WLELLJR
 - Updates on when and how healthcare provider organizations and their staff will be vaccinated
 - Information on how to become a vaccine provider
- City of Chicago: https://www.chicago.gov/city/en/sites/covid19-vaccine/home.html